

**FREE  
PATTERNS**

# Kass

knit in [Keltic™](#)  
Skill level: [Easy](#)



Kass is a tweedy cowl neck pullover with easy cables



[PDF Pattern Instructions](#)

(If you can't open this PDF file you need Adobe Acrobat Reader. Get it [here](#).)

Shown in size Small

## SIZES

Directions are for women's size X-Small. Changes for sizes Small, Medium, Large and X-Large are in parentheses.

## FINISHED MEASUREMENTS

Bust – 34(39-44-48-54)“

Length – 22(22-22 1/2-23-23 1/2)“

## MATERIALS

11(12-14-16-17) Balls [BERROCO KELTIC](#) (50 grs), #5877 Chaucer

Straight knitting needles, size 10 (6.00 mm) OR SIZE TO OBTAIN GAUGE

WEB EXCLUSIVE  
www.berroco.com

16" Length circular knitting needle, size 10 (6.00 mm)  
 Cable needle (cn)  
 8 St markers  
 2 St holders

### GAUGE

16 sts = 4"; 20 rows = 4" in Reverse St st  
 8 sts = 1 3/4"; 20 rows = 4" in Cable Pat  
 TO SAVE TIME, TAKE TIME TO CHECK GAUGE

### STITCH GLOSSARY

#### CB8

Sl 4 sts to cn and hold in BACK, k4, then k4 from cn

#### PM

Place marker

#### CABLE PATTERN (Worked over 8 sts)

**Rows 1, 3, 5 and 7 (RS):** Knit.

**Row 2 and all WS rows:** Purl.

**Row 9:** CB8.

**Row 10:** Purl.

Rep these 10 rows for Cable Pat.

#### BACK

With straight needles, cast on 73(82-92-101-113) sts.

**Establish Pat St: Row 1 (RS):** K1, (p1, k1) twice, p5(8-7-10-10), \* PM, work Row 1 of Cable Pat over 8 sts, PM, p7(8-12-13-17), rep from \* twice more, PM, work Row 1 of Cable Pat over 8 sts, PM, p5(8-7-10-10), k1, (p1, k1) twice.

**Row 2:** P1, (k1, p1) twice, k to marker, \* work Row 2 of Cable Pat to next marker, k to next marker, rep from \* twice more, work Row 2 of Cable Pat to next marker, k5(8-7-10-10), p1, (k1, p1) twice. Work even in pat as established until piece measures 14" from beg, end on WS. Mark beg and end of last row for beg of armholes. Discontinue ribbing at each side and work these sts in Reverse St st from this point on.

**Shape Armholes:** For sizes Small, Large and X-Large ONLY: Dec Row 1 (RS): P1, p3 tog, work in pat as established to last 4 st, p3 tog, p1 – 78(97-109) sts. Work 1 row even.

**For ALL Sizes: Dec Row 2 (RS):** P1, p2 tog, work in pat as established to last 3 sts, p2 tog, p1 – 71(76-90-95-107) sts. Rep Dec Row 2 every RS row 5(8-9-9-9) times more, then every 4th row 2(0-0-0-0) times, end on WS – 57(60-72-77-89) sts. Work even in pat as established until armholes measure 8(8-8 1/2-9-9 1/2)", end on WS.

**Shape Shoulders:** Bind off 5(7-11-12-15) sts at beg of the next 2 rows. Sl remaining 47(46-50-53-59) sts onto holder for back neck.

#### FRONT

Work same as back.

**SLEEVES**

With straight needles, cast on 36 sts. Work even in St st for 1", end on WS. Change to Reverse St st. Inc 1 st each end of next row, then every  $1\frac{3}{4}$ ( $1\frac{3}{4}$ - $1\frac{1}{2}$ - $1\frac{1}{4}$ -1)" 9(9-11-13-15) times more – 56(56-60-64-68) sts. Work even until sleeve measures 18" from beg, end on WS. Mark beg and end of last row for beg of cap.

**Shape Cap: Dec Row 1 (RS):** P1, p3 tog, p to last 4 sts, p3 tog, p1 – 52(52-56-60-64) sts. Rep Dec Row 1 every RS row 1(1-1-2-2) times more, end on WS – 48(48-52-52-56) sts.

**Dec Row 2 (RS):** P1, p2 tog, p to last 3 sts, p2 tog, p1 – 46(46-50-50-54) sts. Rep Dec Row 2 every RS row 7 times more, end on WS. Bind off remaining 32(32-36-36-40) sts loosely.

**FINISHING**

Sew shoulder seams.

**Cowl Neck:** With RS facing, using circular needle, beg at left shoulder seam, k47(46-50-53-59) sts from front holder decreasing 3(0-2-3-6) sts across, then k47(46-50-53-59) sts from back holder decreasing 3(0-2-3-6) sts across – 88(92-96-100-106) sts. Mark for beg of rnd and carry marker up. Work even in St st (k EVERY rnd) for 8". Bind off. Fold cowl down to right side. Sew on sleeves matching markers. Sew side and sleeve seams.



