

FREE  
PATTERNS

# Sybellia Pullover & Scarf

knit in [Softwist™](#)  
Skill level: Intermediate



KNIT



[Sybellia Throw](#)



A fitted V-neck pullover with twisted cable and ribs in Softwist.



[PDF Instructions](#)

(If you can't open this PDF file you need Adobe Acrobat Reader. Get it [here](#).)

Shown in size Small

## SIZES

Directions are for women's size X-Small. Changes for sizes Small, Medium, Large and X-Large are in parentheses.

## FINISHED MEASUREMENTS

**Sweater:** Bust – 38(40-44-48-52)''

Length – 24(24 1/2-25-25 1/2-26)''

Scarf: Approximately 8'' wide x 60'' long

## MATERIALS

15(16-18-20-22) Hanks [BERROCO SOFTWIST](#) (50 grs), #9405 Haricot for Sweater

5 Hanks [BERROCO SOFTWIST](#) (50 grs), #9420 Nouveau Berry for Scarf

Straight knitting needles, size 8 OR SIZE TO OBTAIN GAUGE

Cable needle (cn)

2 St markers

## GAUGE

25 sts = 4"; 28 rows = 4" in Twisted Rib Pats on size 8 needles

18 sts = 2"; 28 rows = 4" in Cable Pat on size 8 needles

[TO SAVE TIME, TAKE TIME TO CHECK GAUGE](#)

## STITCH GLOSSARY

### TBL

Through back loop

### CF8

Sl 5 sts to [cn](#) and hold in FRONT, k1 TBL, p1, k1 TBL; sl 2 p sts from cn back to [LH](#) needle and p these 2 sts, then k1 TBL, p1, k1 TBL from cn

### TWISTED RIB PATTERN 1 (Multiple of 5 sts)

**Row 1 (RS):** \* K1 TBL, p1, k1 TBL, p2, [rep](#) from \* across.

**Row 2:** \* K2, p1 TBL, k1, p1 TBL, rep from \* across.

Rep these 2 rows for Twisted Rib Pat 1.

### TWISTED RIB PATTERN 2 (Multiple of 5 sts)

**Row 1 (RS):** \* P2, k1 TBL, p1, k1 TBL, rep from \* across.

**Row 2:** \* P1 TBL, k1, p1 TBL, k2, rep from \* across.

Rep these 2 rows for Twisted Rib Pat 2.

### CABLE PATTERN (Worked over 18 sts)

**Rows 1, 3, 5, 7, 9 and 11 (RS):** (K1 TBL, p1, k1 TBL, p2) 3 times, k1 TBL, p1, k1 TBL.

**Row 2 and all [WS](#) rows:** (P1 TBL, k1, p1 TBL, k2) 3 times, p1 TBL, k1, p1 TBL.

**Rows 13, 17 and 21:** K1 TBL, p1, k1 TBL, p2, CF8, p2, k1 TBL, p1, k1 TBL.

**Rows 15 and 19:** CF8, p2, CF8.

**Row 22:** Rep Row 2.

Rep these 22 rows for Cable Pat.

## BACK

With straight needles, cast on 120(130-140-160-170) sts.

**Establish Pat Sts: Row 1 (RS):** K1, work Row 1 of Twist Rib Pat 1 over 50(55-60-70-75) sts, place marker, work Row 1 of Cable Pat over 18 sts, place marker, work Row 1 of Twisted Rib Pat 2 over 50(55-60-70-75) sts, k1.

**Row 2:** P1, work Row 2 of Twisted Rib Pat 2 to 1st marker, work Row 2 of Cable Pat to next marker, work Row 2 of Twisted Rib Pat 1 to last st, end p1. Work even in pats as established until piece measures 16" from [beg](#), end on WS.

**Shape Armholes:** Bind off 6(6-6-9-9) sts at beg of the next 2 rows – 108(118-128-142-152) sts. Dec 1 st each side every RS row 5(6-8-12-14) times – 98(106-112-118-124) sts. Work even until armholes measure 7(7 1/2-8-8 1/2-9)", end on WS.

**Shape Neck: Next Row (RS):** Work 24(28-31-34-37) sts, bind off center 50 sts dropping markers, join another hank of yarn and work to end. Working both sides at once, bind off 3 sts at each neck edge twice, end on WS. Bind off remaining 18(22-25-28-31) sts each side for shoulders.

## FRONT

Work same as back until armholes measure approximately 2 3/4", end on Row 22 of

Cable Pat. **Note:** From here, continue to work decs at armholes same as back. AT THE SAME TIME, shape neck as follows:

**Shape V-Neck: Next Row (RS):** Work in pat as established to 2 sts before 1st marker, p2 tog, sl marker, k1 TBL, p1, k1 TBL, p2, k1 TBL, p1, k1 TBL, k1; join another hank of yarn and k1, k1 TBL, p1, k1 TBL, p2, k1 TBL, p1, k1 TBL, sl marker, p2 tog, work in pat as established to end.

**Following Row (WS):** With 1st hank, work in pat as established to 2 sts before 1st marker, k2 tog, sl marker, work in ribbing as established over 9 sts; with 2nd hank, work in ribbing as established over 9 sts, sl marker, k2 tog, work in pat as established to end. Working both sides at once with separate hanks of yarn discontinue Cable Pat at neck edges and work these 9 sts each side in ribbing as established. Continue to work armhole decs and AT THE SAME TIME, dec 1 st before 1st marker and after 2nd marker EVERY row 16(12-10-6-2) times more, then every RS row 4(8-10-14-18) times – 27(31-34-37-40) sts each side. Work even until armholes measure 7 1/2(8-8 1/2-9-9 1/2)”, end on WS.

**Shape Shoulders and Back Neckbands:** Bind off 18(22-25-28-31) sts at beg of the next 2 rows, dropping markers. Sew shoulder seams. Work even on 9 sts at each side for back neckbands until bands, when slightly stretched, reach from shoulder seams to center of back neck, end on WS. Bind off. Sew bound-off edges of back neckbands tog. Sew inner edges of bands to back neck edge.

## SLEEVES

With straight needles, cast on 50 sts.

**Row 1 (RS):** K1, \* k1 TBL, p1, k1 TBL, p2, rep from \* to last 4 sts, end k1 TBL, p1, k1 TBL, k1.

**Row 2:** P1, \* p1 TBL, k1, p1 TBL, k2, rep from \* to last 4 sts, end p1 TBL, k1, p1 TBL, p1. Rep these 2 rows for Sleeve Pat until sleeve measures 1”, end on WS. Inc 1 st each end of next row, then 1(3/4-3/4-1/2-1/2)” 15(18-21-24-27) times more, working incs into sleeve pat as sts become available – 82(88-94-100-106) sts. Work even until sleeve measures 18” from beg, end on WS.

**Shape Cap:** Bind off 6(6-6-9-9) sts at beg of the next 2 rows – 70(76-82-82-88) sts. Dec 1 st each side every RS row 10(10-10-13-13) times, end on WS. Dec 1 st each side EVERY row 14(14-14-8-8) times, end on WS. Bind off 3 sts at beg of the next 2 rows. Bind off remaining 16(22-28-34-40) sts.

## FINISHING

Sew in sleeves. Sew side and sleeve seams.

## SCARF

With straight needles, cast on 60 sts.

**Establish Pat Sts: Row 1 (RS):** K1, work Row 1 of Twisted Rib Pat 1 over 20 sts, place marker, work Row 1 of Cable Pat over 18 sts, place marker, work Row 1 of Twisted Rib Pat 2 over 20 sts, k1.

**Row 2:** P1, work Row 2 of Twisted Rib Pat 2 to 1st marker, work Row 2 of Cable Pat to next marker, work Row 2 of Twisted Rib Pat 1 to last st, p1. Work even in pats as established until piece measures 60”, end on WS. Bind off.

